LIGHT RAIL TRANSIT AUTHORITY

BAGONG PILIPINAS

# NOTICE OF AWARD

**MS. ABIGAIL MARGARITA O. RAMOS**
Authorized Representative
MULTI-SCAN CORPORATION
210 Ortega Street, Addition Hills, San Juan City,
Metro Manila Philippines 1500
Tel no. +63 2 721 9995
Fax no. +63 2 723 9805
Email: amfoz@multiscancorp.com;
gail.ramos@ymail.com;info@multiscancorp.com

Dear **Ms. RAMOS:**

This is to formally notify your company that the **Contract for the Supply of One (1) Lot Various Parts for Air Conditioning Unit (For LRT 2 Rolling Stock) Under RS2-2406-173 and ITB No. 2408-171-01** is hereby awarded to you as the bidder with the Single Calculated and Responsive offer at a price equivalent to **Eighteen Million Eight Hundred Eighty-Three Thousand Eight Hundred Eighty Pesos (₱18,883,880.00) Pesos.**

You are therefore required within ten (10) calendar days from receipt of this Notice of Award to formally enter into contract with LRTA and to submit the Performance Security in the form and amount stipulated in the Instructions to Bidders. Failure to enter into said contract or post the required Performance Security shall constitute a sufficient ground for the cancellation of this award and forfeiture of your Bid Security.

Very truly yours,

**Atty. HERNANDO T. CABRERA**
*Administrator*

Conforme:

MS. ABIGAIL MARGARITA O. RAMOS
MULTI-SCAN CORPORATION

Date: MARCH 13, 2025

# PURCHASE ORDER

LIGHT RAIL TRANSIT AUTHORITY

Line 2 Depot, Marcos Highway, Santolan Pasig City

Agency

Supplier: **MULTI-SCAN CORPORATION**
Address : 210 Ortega St., Addition Hills, San Juan City
TIN:
Mode of Procurement: "Public Bidding"

P.O. No.: **2025-03-0028**
Date: 21-Mar-25
P.R. No.: **RS2-2406-173**
Date: 21-Jun-24

Gentlemen:

**Please furnish this Office the following articles subject to the terms and conditions contained herein as well as those provided in the following :** (a) The bid form and the Price Schedule Submitted by the Bidder : (b) The Schedule of Requirements : ( c ) The Technical Specifications; (d) The General Conditions of the Contract; ( e ) The Special Conditions of the Contract; and ( f ) The Entity's Notification of Award.

Place of Delivery: LINE 2 DEPOT, SANTOLAN, PASIG CITY

Delivery Term : sixteen (16) months URPO
Payment Terms :

| Stock Number | Unit | Description | Quantity | Unit Cost | Amount |
|---|---|---|---|---|---|
| | lot | **One (1) Lot Various Parts for Air Conditioning Unit (for LRT 2 Rolling Stock)** | 1 | ₱ 18,883,880.00 | ₱ 18,883,880.00 |
| | | | | | (4,842,800.00) |
| | | (4assy.) **ACU CONTROLLER ASSEMBLY**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Design Cooling Capacity : 40.4000 kcal/h (47Kw), 80 kcal/h per car '<br>This capacity is based on the following conditions.<br>> Ambient temperature: 28 - 35°C DB<br>> Ambient humidity: 59% RH<br>> Interior temperature: 18 - 25°C DB<br>> Interior humidity: 59% RH<br>> Fresh air intake: 2,400 m³/h per car<br>> Refrigerant: R407C<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | |
| | | (32pcs.) **ACU CONTROL BOARD / ACM 01**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new ACU Control Board/ ACM 01<br>Working Voltage: 5VDC (±5%)<br>(acceptable range of 4.75VDC and 5.25VDC)<br>: 24VDC (±25%)<br>(acceptable range of 18VDC and 30VDC)<br>Power Consumption: 5.0VDC; 3.75VA<br>: 24VDC; 4.1VA<br>Operation Temperature: -25°C~40°C<br>Relative Humidity : 5 ~100%<br>Cooling Method: Self-Cooling<br>Dimensions(L x W x T: 256mm x 185mm x1.65mm)<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (3,271,680.00) |
| | | (32pcs.) **ACU CONTROL BOARD / ACM 02**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new ACU Control Board/ ACM 02<br>Working Voltage: 5VDC (±5%)<br>(acceptable range of 4.75VDC and 5.25VDC)<br>: 24VDC (±25%)<br>(acceptable range of 18VDC and 30VDC)<br>Power Consumption: 5.0VDC; 3.75VA<br>: 24VDC; 4.1VA<br>Operation Temperature: -25°C~40°C<br>Relative Humidity : 5 ~100%<br>Cooling Method: Self-Cooling<br>Dimensions(L x W x T: 256mm x 185mm x1.65mm)<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (3,271,680.00) |

COMMISSION ON AUDIT

Received by: MAUREEN DIANA M. MATA
Date: 4/28/2025 Time: 9:04 AM





4-14-25

# PURCHASE ORDER

LIGHT RAIL TRANSIT AUTHORITY

Line 2 Depot, Marcos Highway, Santolan Pasig City

Agency

| | | | |
|---|---|---|---|
| Supplier: | **MULTI-SCAN CORPORATION** | P.O. No.: | **2025-03-0028** |
| Address : | 210 Ortega St., Addition Hills, San Juan City | Date: | 21-Mar-25 |
| TIN: | | P.R. No.: | **RS2-2406-173** |
| Mode of Procurement: "Public Bidding" | | Date: | 21-Jun-24 |

Gentlemen:

**Please furnish this Office the following articles subject to the terms and conditions contained herein as well as those provided in the following :** (a) The bid form and the Price Schedule Submitted by the Bidder ; (b) The Schedule of Requirements : ( c ) The Technical Specifications; (d) The General Conditions of the Contract; ( e ) The Special Conditions of the Contract; and ( f ) The Entity's Notification of Award.

| | |
|---|---|
| Place of Delivery: LINE 2 DEPOT, SANTOLAN, PASIG CITY | Delivery Term : sixteen (16) months URPO |
| Date of Delivery: | Payment Terms : |

| Stock Number | Unit | Description | Quantity | Unit Cost | Amount |
|---|---|---|---|---|---|
| | | (32pcs.) **ACU CONTROLLER POWER SUPPLY MODULE**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new ACU Controller Power Supply module<br>Input Voltage: 110VDC (±30%)<br>(acceptable range of 77VDC and 137VDC)<br>Working Voltage: 5VDC (±5%)<br>(acceptable range of 4.75VDC and 5.25VDC)<br>: 24VDC (±25%)<br>(acceptable range of 18VDC and 30VDC)<br>Power Consumption: 5.0VDC; 3.75VA<br>: 24VDC; 4.1VA<br>Fuses : 250V/6.3A<br>Operation Temperature: -25°C~40°C<br>Relative Humidity : 5 ~100%<br>Cooling Method: Self-Cooling<br>Dimensions(L x W x T: 256mm x 185mm x1.65mm)<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (2,358,720.00) |
| | | (10pcs.) **EVAPORATOR MOTOR**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Evaporator Motor<br>Type: Induction Motor<br>Voltage: 380 Vac<br>Phase: 3 phase<br>Frequency: 60Hz<br>Power: 1.5 Kw<br>Current: 3.8A<br>Speed: 1700 rpm<br>Pole: 4 poles<br>Stator insulation: Class F<br>Protection Enclosure: IP55<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (627,800.00) |
| | | (10pcs.) **CONDENSER MOTOR**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Condenser Motor<br>Type: Induction Motor<br>Voltage: 380 Vac<br>Phase: 3 phase<br>Frequency: 60Hz<br>Power: 1.5 Kw<br>Current: 3.8A<br>Speed: 1700 rpm<br>Pole: 4 poles<br>Stator insulation: Class F<br>Protection Enclosure: IP56<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (627,800.00) |

# PURCHASE ORDER

LIGHT RAIL TRANSIT AUTHORITY

Line 2 Depot, Marcos Highway, Santolan Pasig City

Agency

| | | | |
|---|---|---|---|
| Supplier: | **MULTI-SCAN CORPORATION** | P.O. No.: | **2025-03-0028** |
| Address : | 210 Ortega St., Addition Hills, San Juan City | Date: | 21-Mar-25 |
| TIN: | | P.R. No.: | **RS2-2406-173** |
| Mode of Procurement: "Public Bidding" | | Date:. | 21-Jun-24 |

Gentlemen:

**Please furnish this Office the following articles subject to the terms and conditions contained herein as well as those provided in the following :** (a) The bid form and the Price Schedule Submitted by the Bidder : (b) The Schedule of Requirements : ( c ) The Technical Specifications; (d) The General Conditions of the Contract; ( e ) The Special Conditions of the Contract; and ( f ) The Entity's Notification of Award.

| | | | |
|---|---|---|---|
| Place of Delivery: | LINE 2 DEPOT, SANTOLAN, PASIG CITY | Delivery Term : | sixteen (16) months URPO |
| Date of Delivery: | | Payment Terms : | |

| Stock Number | Unit | Description | Quantity | Unit Cost | Amount |
|---|---|---|---|---|---|
| | | (32pcs.) **EXPANSION VALVE**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Expansion Valve<br>Model no.: AAE 3 HC or its equivalent<br>Tons: 3<br>Range: -20F to +50F<br>Tube Length: 5 ft<br>Equalizer: External 1/4" ODF<br>Style: Straight Thru<br>Inlet: 1/2" ODF Solder<br>Outlet: 5/8" ODF Solder<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (772,800.00) |
| | | (32pcs.) **SOLENOID VALVE**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Solenoid Valve<br>Type no.: E10S240 or its equivalent<br>Connections: 1/2" ODF Solder<br>Port size: 5/16"<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (636,160.00) |
| | | (24pcs.) **BLOWER FAN BLADE (IMPELLER) - RIGHT**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Blower Fan Blade (Impeller) - Right<br>No. of Blades : 45<br>Material : Aluminum<br>Outside Diameter : 225 mm ±1<br>Inside Diameter : 187 mm ±1<br>Length : 253 mm ±1<br>Bore Size (Drive Shaft Ø) : 19.0 mm +0 /-0.3<br>Weight : 1 kg ±5 gm<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (240,480.00) |
| | | (24pcs.) **BLOWER FAN BLADE (IMPELLER) - LEFT**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Blower Fan Blade (Impeller) - Left<br>No. of Blades : 45<br>Material : Aluminum<br>Outside Diameter : 225 mm ±1<br>Inside Diameter : 187 mm ±1<br>Length : 253 mm ±1<br>Bore Size (Drive Shaft Ø) : 19.0 mm +0 /-0.3<br>Weight : 1 kg ±5 gm<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (240,480.00) |

# PURCHASE ORDER

LIGHT RAIL TRANSIT AUTHORITY
Line 2 Depot, Marcos Highway, Santolan Pasig City
Agency

Supplier: **MULTI-SCAN CORPORATION**
Address : 210 Ortega St., Addition Hills, San Juan City
TIN:
Mode of Procurement: "Public Bidding"

P.O. No.: **2025-03-0028**
Date: 21-Mar-25
P.R. No.: **RS2-2406-173**
Date: 21-Jun-24

Gentlemen:

**Please furnish this Office the following articles subject to the terms and conditions contained herein as well as those provided in the following :** (a) The bid form and the Price Schedule Submitted by the Bidder : (b) The Schedule of Requirements : ( c ) The Technical Specifications; (d) The General Conditions of the Contract; ( e ) The Special Conditions of the Contract; and ( f ) The Entity's Notification of Award.

Place of Delivery: LINE 2 DEPOT, SANTOLAN, PASIG CITY
Date of Delivery:
Delivery Term : sixteen (16) months URPO
Payment Terms :

| Stock Number | Unit | Description | Quantity | Unit Cost | Amount |
|---|---|---|---|---|---|
| | | (32pcs.) **MINIATURE RELAY 230 Vac**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Miniature Relay 230Vac<br>Model no.:RXM4AB2P7 or its equivalent<br>Contacts Type and Composition: 4 C/O<br>Control Circuit Voltage: 230Vac 50/60Hz<br>Resistive Rated Load: 6A at 250 Vac<br>: 6A at 28 Vdc<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (90,880.00) |
| | | (32pcs.) **INTERFACE RELAY 110 Vdc**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Interface Relay 110Vdc<br>Model no.: RSB2A080FD or its equivalent<br>Contacts Type and Composition: 2 C/O<br>Control Circuit Voltage: 110Vdc<br>Resistive Rated Load: 8A at 250 Vac<br>: 8A at 28 Vdc<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (90,880.00) |
| | | (32pcs.) **MINIATURE RELAY 24 Vdc**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Miniature Relay 24Vdc<br>Model no.:RXM4AB2BD or its equivalent<br>Contacts Type and Composition: 4 C/O<br>Control Circuit Voltage: 24Vdc<br>Resistive Rated Load: 6A at 250 Vac<br>6A at 28 Vdc<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (90,880.00) |
| | | (32pcs.) **INTERFACE RELAY 24 Vdc**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Interface Relay 24Vdc<br>Model no.: RSB2A080BD or its equivalent<br>Contacts Type and Composition: 2 C/O<br>Control Circuit Voltage: 24Vdc<br>Resistive Rated Load: 8A at 250 Vac<br>8A at 28 Vdc<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (90,880.00) |
| | | (56pcs.) **MAGNETIC CONTACTOR**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Magnetic Contactor<br>Model no.: LP1K1210BD or its equivalent<br>Poles Description: 3P | | | (551,040.00) |

# PURCHASE ORDER

LIGHT RAIL TRANSIT AUTHORITY
Line 2 Depot, Marcos Highway, Santolan Pasig City
Agency

| | | | |
|---|---|---|---|
| Supplier: | **MULTI-SCAN CORPORATION** | P.O. No.: | **2025-03-0028** |
| Address : | 210 Ortega St., Addition Hills, San Juan City | Date: | 21-Mar-25 |
| TIN: | | P.R. No.: | **RS2-2406-173** |
| Mode of Procurement: "Public Bidding" | | Date: | 21-Jun-24 |

Gentlemen:

**Please furnish this Office the following articles subject to the terms and conditions contained herein as well as those provided in the following :** (a) The bid form and the Price Schedule Submitted by the Bidder : (b) The Schedule of Requirements : ( c ) The Technical Specifications; (d) The General Conditions of the Contract; ( e ) The Special Conditions of the Contract; and ( f ) The Entity's Notification of Award.

| | |
|---|---|
| Place of Delivery: LINE 2 DEPOT, SANTOLAN, PASIG CITY | Delivery Term : sixteen (16) months URPO |
| Date of Delivery: | Payment Terms : |

| Stock Number | Unit | Description | Quantity | Unit Cost | Amount |
|---|---|---|---|---|---|
| | | Power Pole Contact Composition: 3 NO<br>Rated Operational Voltage:<br>Power Circuit: <=690 Vac <=400 Hz<br>Signaling Circuit: <=690 Vac <=400 Hz<br>Rated Operational Current:<br>12A (at <60°C) at <=440 Vac AC-3 for power circuit<br>12A (at <60°C) at <=440 Vac AC-3e for power circuit<br>20A (at <60°C) at <=690 Vac AC-1 for power circuit<br>Control Circuit Type: DC standard<br>Control Circuit Voltage: 24Vdc<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | |
| | | (32pcs.) **MOTOR PROTECTION CIRCUIT BREAKER 3P, 9-14A**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Motor Protection Circuit Breaker 3P, 9 -14A<br>Model no.: GV2ME16 or its equivalent<br>Poles Description: 3P<br>Network Type: AC<br>Fixing Mode: 35mm symmetrical DIN rail: clipped<br>Panel: screwed (with adaptor plate)<br>Motor Power Kw:<br>5.5Kw at 400/415 Vac 50/60Hz<br>7.5Kw at 500 Vac 50/60Hz<br>9Kw at 690 Vac 50/60Hz<br>11Kw at 690 Vac 50/60Hz<br>Control Type: Push-button<br>Rated Current: 14A<br>Thermal Protection Adjustment Range: 9 - 14A<br>Magnetic Tripping Current: 170A<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (454,400.00) |
| | | (24pcs.) **MOTOR PROTECTION CIRCUIT BREAKER 3P, 4-6.3A**<br>Offer Brand : **CLK Corporation**<br>Technical Specifications :<br>Brand new Motor Protection Circuit Breaker 3P, 4-6.3A<br>Model no.: GV2ME10 or its equivalent<br>Poles Description: 3P<br>Network Type: AC<br>Fixing Mode: 35mm symmetrical DIN rail: clipped<br>Panel: screwed (with adaptor plate)<br>Motor Power Kw:<br>2.2Kw at 400/415 Vac 50/60Hz<br>3Kw at 500 Vac 50/60Hz<br>4Kw at 690 Vac 50/60Hz<br>Control Type: Push-button<br>Rated Current: 6.3A<br>Thermal Protection Adjustment Range: 4 - 6.3A<br>Magnetic Tripping Current: 78A<br>Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | (309,240.00) |

# PURCHASE ORDER

LIGHT RAIL TRANSIT AUTHORITY

Line 2 Depot, Marcos Highway, Santolan Pasig City

Agency

| | | | |
|---|---|---|---|
| Supplier: | **MULTI-SCAN CORPORATION** | P.O. No.: | **2025-03-0028** |
| Address : | 210 Ortega St., Addition Hills, San Juan City | Date: | 21-Mar-25 |
| TIN: | | P.R. No.: | **RS2-2406-173** |
| Mode of Procurement: "Public Bidding" | | Date: | 21-Jun-24 |

Gentlemen:

**Please furnish this Office the following articles subject to the terms and conditions contained herein as well as those provided in the following :** (a) The bid form and the Price Schedule Submitted by the Bidder : (b) The Schedule of Requirements : ( c ) The Technical Specifications; (d) The General Conditions of the Contract; ( e ) The Special Conditions of the Contract; and ( f ) The Entity's Notification of Award.

| | | | |
|---|---|---|---|
| Place of Delivery: | LINE 2 DEPOT, SANTOLAN, PASIG CITY | Delivery Term : | sixteen (16) months URPO |
| Date of Delivery: | | Payment Terms : | |

| Stock Number | Unit | Description | Quantity | Unit Cost | Amount |
|---|---|---|---|---|---|
| | | (56pcs.) **CIRCUIT BREAKER AUXILIARY CONTACT** | | | (157,640.00) |
| | | Offer Brand : **CLK Corporation** | | | |
| | | Technical Specifications : | | | |
| | | Model no.: GVAE11 or its equivalent | | | |
| | | Mounting Location: Front side | | | |
| | | Pole Contact Composition: 1 NO + 1 NC | | | |
| | | Rated Operational Voltage: 24 - 240V ac<br>24 - 60V dc | | | |
| | | Conventional Free Air Thermal Current: 2.5A | | | |
| | | Mechanical Durability: 100000 cycles | | | |
| | | Minimum Switching Current: 5mA | | | |
| | | Minimum Switching Voltage: 17V | | | |
| | | Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | |
| | | (56pcs.) **AUXILIARY CONTACT BLOCK** | | | (157,640.00) |
| | | Offer Brand : **CLK Corporation** | | | |
| | | Technical Specifications : | | | |
| | | Model no.: LA1KN31 or its equivalent | | | |
| | | Mounting Location: Front side | | | |
| | | Pole Contact Composition: 3 NO + 1 NC | | | |
| | | Rated Operational Voltage: 690V ac 25...400Hz | | | |
| | | Conventional Free Air Thermal Current: 10A (at 50°C) | | | |
| | | Minimum Switching Current: 5mA | | | |
| | | Minimum Switching Voltage: 17V | | | |
| | | Should fit and compatible with the existing Rotem/Toshiba Megatren Model 2003. | | | |
| | | Manufacture in accordance to Railway Rolling Stock Application. | | | |
| | | Warranty Package : Minimum of One (1) year upon acceptance | | | |

**Note:**

**1.)** Refer to Section 39.1 Performance Security Requirement of IRR-A of R.A. 9184. Failure to post the necessary Performance Bond w/in the prescribed period will result to the automatic cancellation of this P.O.

**2.)** Warranty Security shall likewise be posted for the duration of the above mentioned warranty period to be made effective after final acceptance thereof.

The obligation for the warranty shall be covered by either retention money in an amount equivalent to at least one percent (1%) of every progress payment, or a special bank guarantee to at least one percent (1%) of the total contract price.

# PURCHASE ORDER

LIGHT RAIL TRANSIT AUTHORITY

Line 2 Depot, Marcos Highway, Santolan Pasig City

Agency

| | | | |
|---|---|---|---|
| Supplier: | **MULTI-SCAN CORPORATION** | P.O. No.: | **2025-03-0028** |
| Address : | 210 Ortega St., Addition Hills, San Juan City | Date: | 21-Mar-25 |
| TIN: | | P.R. No.: | **RS2-2406-173** |
| Mode of Procurement: "Public Bidding" | | Date: | 21-Jun-24 |

Gentlemen:

**Please furnish this Office the following articles subject to the terms and conditions contained herein as well as those provided in the following :** (a) The bid form and the Price Schedule Submitted by the Bidder : (b) The Schedule of Requirements : ( c ) The Technical Specifications; (d) The General Conditions of the Contract; ( e ) The Special Conditions of the Contract; and ( f ) The Entity's Notification of Award.

| | |
|---|---|
| Place of Delivery: LINE 2 DEPOT, SANTOLAN, PASIG CITY | Delivery Term : sixteen (16) months URPO |
| Date of Delivery: | Payment Terms : |

| Stock Number | Unit | Description | Quantity | Unit Cost | Amount |
|---|---|---|---|---|---|
| | | **3.)** Submit Certificate of Country of Origin upon Delivery (if Applicable) | | | |
| | | **4.)** Notify the Procurement Division in writing at least two (2) working days before the intended date of delivery. | | | |

CERTIFICATE OF BUDGET AVAILABILITY
AMOUNT: ₱18,883,880.00
ACCOUNT: Rehab (13up)
B.C. NO.: 13up-2025-04-11-023-PO
DOMINICK D. CORNELIO
OIC, Budgeting & Financial Planning Division



Total Amount in Words: **Eighteen Million Eight Hundred Eighty-Three Thousand Eight Hundred Eighty Pesos Only** ₱ **18,883,880.00**

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Very truly yours,

Conforme: ABIGAIL MARGARITA O. RAMOS
Signature over Printed Name of Supplier

APRIL 15, 2025
Date

**ATTY. HERNANDO T. CABRERA**
Administrator
Authorized Official

Budget

Funds Available:

**Mr. DOMINICK D. CORNELIO**
OIC, Budgeting and Financial Planning Division
Chief Budget Officer

April 11, 2025

LIGHT RAIL TRANSIT AUTHORITY

BAGONG PILIPINAS

March 21, 2025

To : **MS. ABIGAIL MARGARITA O. RAMOS**
*Authorized Representative*
**MULTI-SCAN CORPORATION**
210 Ortega St., Addition Hills, San Juan City

# NOTICE TO PROCEED

In connection with the Procurement of the **CONTRACT FOR THE SUPPLY OF ONE (1) LOT VARIOUS PARTS FOR AIR CONDITIONING UNIT (For LRT 2 Rolling Stock)** under **PR # RS2-2406-173 / ITB # 2408-171-01** you are hereby directed to immediately comply with your obligations as stipulated in the Contract / Purchase Order (P.O.) on or before Sixteen (16) Months from receipt thereof.

Very truly yours,

**ATTY. HERNANDO T. CABRERA**
Administrator

Received By : ABIGAIL MARGARITA O. RAMOS
Signature over printed name

Date : APRIL 16, 2025